

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10541960

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Thursday
Date: 1/4/2007
Time: 11:27:43

**PALM INTRANET**

Inventor Information for 10/541960

| Inventor Name | City | State/Country |
|--------------------|-------|---------------|
| FUKAI, AKITOSHI | OSAKA | JAPAN |
| OKUI, YOSHIHITO | OSAKA | JAPAN |
| TAKEUCHI, TOSHIAKI | OSAKA | JAPAN |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|--|-----------|---|--------------------------|
| US 20060111694 A1 | 20060525 | Seal valve, connection port, mix-feed tube, connection device for liquid infusion circuit, and connection system for liquid infusion circuit that are for medical device | 604/403 | 604/905 | Fukai; Akitoshi et al. |
| US 5817425 A | 19981006 | Layered polyamide film and method for producing the same | 428/475.2 | 264/171.13; 264/290.2; 427/207.1; 427/393.5; 428/195.1; 428/201; 428/355AC; 428/475.5; 428/480; 428/910 | Morishige; Chikao et al. |
| US 5589934 A | 19961231 | Light measuring apparatus capable of measuring ambient light and flash light | 356/218 | 356/215; 396/157; 396/201 | Hosoi; Norihisa et al. |
| US 5565990 A | 19961015 | Color temperature meter for use in photographing | 356/406 | 356/404; 356/405; 356/45 | Hosoi; Norihisa et al. |
| US 5327210 A | 19940705 | Light measurement device | 356/218 | 250/238; 356/43 | Okui; Yoshihiro et al. |
| US 5122651 A | 19920616 | Device for measuring luminance of fluorescent screen of | 250/214R | | Furukawa; Hiroshi et al. |

| | | | | | |
|-----------------|----------|--|----------|--|--------------------------|
| | | cathode ray tube | | | |
| US 4924081 A | 19900508 | Photo-electric converter having offset voltage correcting function | 250/214R | 250/214SW | Arima; Jiro et al. |
| US 4909633 A | 19900320 | Multi-channel spectral light measuring device | 356/405 | 250/226; 250/227.23; 356/406; 356/419 | Okui; Yoshihiro et al. |
| US 4771265 A | 19880913 | Double integration analog to digital converting device | 341/167 | 324/99D | Okui; Yoshihiro et al. |
| US 4046304 A | 19770906 | Process for producing metal composite material | 228/187 | 228/235.1; 228/262.44 | Tabata; Sanetoshi et al. |